


70376

# Tank Brush, 205 mm, Hard, Yellow



Clean tanks, vats and drain gulleys with this Tank Brush, which can be used with any Vikan handle.

# Technical Data

Item Number	70376
Bristle stiffness	Hard
Visible bristle length	40 mm
Material	Polypropylene Polyester (PBT) Stainless Steel (AISI 304)
Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA Regulation I CFR 21 <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	480 Pcs
Quantity Per Layer (Pallet)	60 Pcs.
Box Length	545 mm
Box Width	275 mm
Box Height	220 mm
Length	205 mm
Width	130 mm
Height	100 mm
Net Weight	0.47 kg
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))	0.0078 kg
Weight cardboard (Recycling symbol "20" PAP)	0.022 kg
Tare total	0.0298 kg
Gross Weight	0.5 kg
Cubic metre	0.002665 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max usage temperature (food contact)	80 °C
Max usage temperature (non food contact)	100 °C
Min. usage temperature <sup>3</sup>	-20 °C
Max. drying temperature	100 °C
Min. pH-value in usage concentration	2 pH

<b>Max. pH-value in Usage Concentration</b>	10.5 pH
<b>Gtin-13 Number</b>	5705020703768
<b>GTIN-14 Number (Box quantity)</b>	15705020703765
<b>Customs Tariff No.</b>	96039099
<b>Country of origin</b>	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.