29735

Aluminum Telescopic Handle w/Hose Nozzle, waterfed, 1615 - 2780 mm, Ø32 mm, White





Ergonomically designed to improve the user's working position, this water-fed telescopic handle with a hose nozzle and comfortable grip is easy to adjust to the

required length. Fits any water-fed Vikan product. Maximum pressure, 6 bars. Maximum water temperature, 50 °C. Do not use with acid or chlorine.

Technical Data

Connection Threaded Material Anodised Aluminium Polypropylene Chromium-plated brass Complies with (EC) 1935/2004 on food contact materials¹ No Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation CFR 21¹ Yes Complies with KEACH Regulation (EC) No. 1907/2006 Yes ** Complies with California Proposition 65 No SCIP number e49c50b5-7653-429c-b8f3-803d37b5fcfc Complies with Halal and Kosher Yes PFAS intentionally added No Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 200 Pcs Quantity Per Layer (Pallet) 25 Pcs. Box Length/Depth 1755 mm Box Width 170 mm Box Width 170 mm Box Width 32 mm Product Diameter 32 mm Product Length/Depth 1615 mm Product Height 32 mm Max. Length 2780 mm Vet Weight 10 kg Cubic metre 0.001654 M3 Cubic metre<	Item Number	29735
Complies with (EC) 1935/2004 on food contact materials¹ No Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials No Complies with REACH Regulation (EC) No. 1907/2006 Yes ⁴ Complies with California Proposition 65 No SCIP number e49c50b5-7653-482-bcb8f3-803d37b5fefc Complies with Halal and Kosher Yes PFAS intentionally added No Box Quantity 5 Pcs Quantity per Pallet (80 x 120 x approx.180 cm) 200 Pcs Quantity Per Layer (Pallet) 25 Pcs. Box Length/Depth 1755 mm Box Width 170 mm Box Width 170 mm Box Width 170 mm Box Width 32 mm Product Diameter 32 mm Product Width 32 mm Product Width 32 mm Max. Length 2780 mm Net Weight 0.07 kg Gross Weight 0.07 kg Gross Weight 0.	Connection	Threaded
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials No Complies with REACH Regulation (EC) No. 1907/2006 Yes ** Complies with California Proposition 65 No SCIP number e49c50b5-7653-429c-b8f3-803d37b5fefc Complies with Halal and Kosher PFAS intentionally added No Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 200 Pcs Quantity Per Layer (Pallet) 25 Pcs. Box Length/Depth 1755 mm Box Width 170 mm Box Height 75 mm Product Diameter 32 mm Product Length/Depth 1615 mm Product Width 32 mm Product Height 32 mm Max. Length 2780 mm Net Weight 1.01 kg Weight cardboard (Recycling symbol "20" PAP) 0.07 kg Gross Weight 1.08 kg Cubic metre 0.001654 M3 Recommended sterilisation temperature (Autoclave) 120 °C Min. usage temperature² 20 °C Min. usage temperature² 20 Pd Max. pH-value in usage Concentration 8 pH	Material	Polypropylene
Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials No Complies with REACH Regulation (EC) No. 1907/2006 Yes ** Complies with California Proposition 65 No SCIP number e49c50b5-7653-429c-b8f3-803d37b5fefc Complies with Halal and Kosher Yes PFAS intentionally added No Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 200 Pcs Quantity Per Layer (Pallet) 25 Pcs. Box Length/Depth 1755 mm Box Width 170 mm Box Height 75 mm Product Diameter 32 mm Product Length/Depth 1615 mm Product Width 32 mm Product Height 32 mm Max. Length 2780 mm Net Weight 1.01 kg Weight cardboard (Recycling symbol "20" PAP) 0.07 kg Total Tare Weight 0.07 kg Gross Weight 1.08 kg Cubic metre 0.001654 M3 Recommended sterilisation	Complies with (EC) 1935/2004 on food contact materials ¹	No
Complies with UK 2019 No. 704 on food contact materials No Complies with REACH Regulation (EC) No. 1907/2006 Yes ** Complies with California Proposition 65 No SCIP number e49c50b5-7653-429c-b8f3-803d37b5fefc Complies with Halal and Kosher Yes PFAS intentionally added No Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 200 Pcs Quantity Per Layer (Pallet) 25 Pcs. Box Length/Depth 1755 mm Box Width 170 mm Box Height 75 mm Product Diameter 32 mm Product Length/Depth 1815 mm Product Width 32 mm Product Width 32 mm Max. Length 2780 mm Net Weight 1.01 kg Weight cardboard (Recycling symbol "20" PAP) 0.07 kg Total Tare Weight 1.08 kg Cubic metre 0.001654 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature* 20 °C Min. usage temperature in usage concentrati		Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes ** Complies with California Proposition 65 No SCIP number e49c50b5-7653-429c-b8f3-803d37b5fefc Complies with Halal and Kosher Yes PFAS intentionally added No Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 200 Pcs Quantity Per Layer (Pallet) 25 Pcs. Box Length/Depth 1755 mm Box Width 170 mm Box Width 170 mm Box Height 75 mm Product Diameter 32 mm Product Width 32 mm Product Height 32 mm Max. Length 2780 mm Met Weight 1.01 kg Weight cardboard (Recycling symbol "20" PAP) 0.07 kg Total Tare Weight 0.07 kg Gross Weight 1.08 kg Cubic metre 0.001654 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (non food contact) 80 °C Min. usage temperature in Usage Concentration 8 pH	Complies with FDA Regulation CFR 21 ¹	Yes
Complies with California Proposition 65 No SCIP number e49c50b5-7653-429c-b8f3-803d37b5fefc Complies with Halal and Kosher Yes PFAS intentionally added No Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 200 Pcs Quantity Per Layer (Pallet) 25 Pcs. Box Length/Depth 1755 mm Box Width 170 mm Box Height 75 mm Product Diameter 32 mm Product Length/Depth 1615 mm Product Width 32 mm Product Height 32 mm Max. Length 2780 mm Net Weight 1.01 kg Weight cardboard (Recycling symbol "20" PAP) 0.07 kg Total Tare Weight 0.07 kg Gross Weight 1.08 kg Cubic metre 0.001654 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (non food contact) 80 °C Min. usage temperature in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH	Complies with UK 2019 No. 704 on food contact materials	No
SCIP number e49c50b5-7653-429c-b8f3-803d37b5fefc Complies with Halal and Kosher Yes PFAS intentionally added No Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 200 Pcs Quantity Per Layer (Pallet) 25 Pcs. Box Length/Depth 1755 mm Box Width 170 mm Box Height 75 mm Product Diameter 32 mm Product Length/Depth 1615 mm Product Width 32 mm Max. Length 2780 mm Net Weight 1.01 kg Weight cardboard (Recycling symbol "20" PAP) 0.07 kg Total Tare Weight 0.07 kg Gross Weight 1.08 kg Cubic metre 0.001654 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature* 20 °C Min. usage temperature* 20 °C Min. pH-value in usage concentration 8 pH Max. pH-value in Usage Concentration 8 pH	Complies with REACH Regulation (EC) No. 1907/2006	Yes **
Complies with Halal and Kosher Yes PFAS intentionally added No Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 200 Pcs Quantity Per Layer (Pallet) 25 Pcs. Box Length/Depth 1755 mm Box Width 170 mm Box Height 75 mm Product Diameter 32 mm Product Length/Depth 1615 mm Product Width 32 mm Max. Length 2780 mm Met Weight 1.01 kg Weight cardboard (Recycling symbol "20" PAP) 0.07 kg Total Tare Weight 0.07 kg Gross Weight 1.08 kg Cubic metre 0.001654 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature* 20 °C Min. usage temperature* 20 °C Min. pH-value in usage concentration 8 pH	Complies with California Proposition 65	No
PFAS intentionally added Box Quantity Box Quantity per Pallet (80 x 120 x approx.180 cm) Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) 25 Pcs. Box Length/Depth 1755 mm Box Width 170 mm Box Height 75 mm Product Diameter 32 mm Product Length/Depth 1615 mm Product Width 32 mm Product Height 32 mm Max. Length Not Weight 1.01 kg Weight cardboard (Recycling symbol "20" PAP) 0.07 kg Gross Weight 1.08 kg Cubic metre 0.001654 M3 Recommended sterilisation temperature (Autoclave) Min. usage temperature³ -20 °C Min. pH-value in usage Concentration 8 pH Max. pH-value in Usage Concentration	SCIP number	
Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 200 Pcs Quantity Per Layer (Pallet) 25 Pcs. Box Length/Depth 1755 mm Box Width 170 mm Box Height 75 mm Product Diameter 32 mm Product Length/Depth 1615 mm Product Width 32 mm Product Height 32 mm Max. Length 2780 mm Net Weight 1.01 kg Weight cardboard (Recycling symbol "20" PAP) 0.07 kg Total Tare Weight 0.07 kg Gross Weight 1.08 kg Cubic metre 0.001654 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (non food contact) 80 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH	Complies with Halal and Kosher	Yes
Quantity Per Layer (Pallet) 25 Pcs. Box Length/Depth 1755 mm Box Width 170 mm Box Height 75 mm Product Diameter 32 mm Product Length/Depth 1615 mm Product Width 32 mm Product Height 32 mm Max. Length 2780 mm Net Weight 1.01 kg Weight cardboard (Recycling symbol "20" PAP) 0.07 kg Total Tare Weight 0.07 kg Gross Weight 1.08 kg Cubic metre 0.001654 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH	PFAS intentionally added	No
Quantity Per Layer (Pallet) 25 Pcs. Box Length/Depth 1755 mm Box Width 170 mm Box Height 75 mm Product Diameter 32 mm Product Length/Depth 1615 mm Product Width 32 mm Product Height 32 mm Max. Length 2780 mm Net Weight 1.01 kg Weight cardboard (Recycling symbol "20" PAP) 0.07 kg Total Tare Weight 0.07 kg Gross Weight 1.08 kg Cubic metre 0.001654 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH	Box Quantity	5 Pcs.
Box Length/Depth1755 mmBox Width170 mmBox Height75 mmProduct Diameter32 mmProduct Length/Depth1615 mmProduct Width32 mmProduct Height32 mmMax. Length2780 mmNet Weight1.01 kgWeight cardboard (Recycling symbol "20" PAP)0.07 kgTotal Tare Weight0.07 kgGross Weight1.08 kgCubic metre0.001654 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Quantity per Pallet (80 x 120 x approx.180 cm)	200 Pcs
Box Width 170 mm Box Height 75 mm Product Diameter 32 mm Product Length/Depth 1615 mm Product Width 32 mm Product Height 32 mm Max. Length 2780 mm Net Weight 1.01 kg Weight cardboard (Recycling symbol "20" PAP) 0.07 kg Total Tare Weight 0.07 kg Gross Weight 1.08 kg Cubic metre 0.001654 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH	Quantity Per Layer (Pallet)	25 Pcs.
Box Height 75 mm Product Diameter 32 mm Product Length/Depth 1615 mm Product Width 32 mm Product Height 32 mm Max. Length 2780 mm Net Weight 1.01 kg Weight cardboard (Recycling symbol "20" PAP) 0.07 kg Total Tare Weight 0.07 kg Gross Weight 1.08 kg Cubic metre 0.001654 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH	Box Length/Depth	1755 mm
Product Diameter32 mmProduct Length/Depth1615 mmProduct Width32 mmProduct Height32 mmMax. Length2780 mmNet Weight1.01 kgWeight cardboard (Recycling symbol "20" PAP)0.07 kgTotal Tare Weight0.07 kgGross Weight1.08 kgCubic metre0.001654 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Box Width	170 mm
Product Length/Depth1615 mmProduct Width32 mmProduct Height32 mmMax. Length2780 mmNet Weight1.01 kgWeight cardboard (Recycling symbol "20" PAP)0.07 kgTotal Tare Weight0.07 kgGross Weight1.08 kgCubic metre0.001654 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Box Height	75 mm
Product Width32 mmProduct Height32 mmMax. Length2780 mmNet Weight1.01 kgWeight cardboard (Recycling symbol "20" PAP)0.07 kgTotal Tare Weight0.07 kgGross Weight1.08 kgCubic metre0.001654 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Product Diameter	32 mm
Product Height32 mmMax. Length2780 mmNet Weight1.01 kgWeight cardboard (Recycling symbol "20" PAP)0.07 kgTotal Tare Weight0.07 kgGross Weight1.08 kgCubic metre0.001654 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Product Length/Depth	1615 mm
Max. Length2780 mmNet Weight1.01 kgWeight cardboard (Recycling symbol "20" PAP)0.07 kgTotal Tare Weight0.07 kgGross Weight1.08 kgCubic metre0.001654 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Product Width	32 mm
Net Weight 1.01 kg Weight cardboard (Recycling symbol "20" PAP) 0.07 kg Total Tare Weight 0.07 kg Gross Weight 1.08 kg Cubic metre 0.001654 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH	Product Height	32 mm
Weight cardboard (Recycling symbol "20" PAP)0.07 kgTotal Tare Weight0.07 kgGross Weight1.08 kgCubic metre0.001654 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Max. Length	2780 mm
Total Tare Weight0.07 kgGross Weight1.08 kgCubic metre0.001654 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Net Weight	1.01 kg
Gross Weight Cubic metre 0.001654 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH	Weight cardboard (Recycling symbol "20" PAP)	0.07 kg
Cubic metre0.001654 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Total Tare Weight	0.07 kg
Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Gross Weight	1.08 kg
Max usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Cubic metre	0.001654 M3
Min. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Max usage temperature (non food contact)	80 °C
Max. pH-value in Usage Concentration 8 pH	Min. usage temperature ³	-20 °C
	Min. pH-value in usage concentration	2 pH
Max. bars pressure 6 Bar	Max. pH-value in Usage Concentration	8 pH
	Max. bars pressure	6 Bar

GTIN-13 Number	5705020029738
GTIN-14 Number (Box quantity)	15705020029735
Customs Tariff Number	76169990
UNSPSC Code	47131609
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.

^{**} Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead. This product is registered in the EU SCIP database. Please find SCIP number above.