Bucket, 6 Litre, Lime







This durable 6-litre bucket can be used for cleaning or food storage. The bucket has a wide drip-free spout, a sturdy stainless steel hanger, and a bottom hand grip that is raised from the base and calibrated for a variety of measuring units. The flat side prevents spillage, and the bucket has its own wall bracket (16200) for storage.

Technical Data

Material Polypropylene Stainless Steel (AISI 304) Recycling Symbol "5", Polypropylene (PP) Yes Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21' Yes Complies with FDA Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002364190-1-8, GB 90023641900001-8 Box Quantity FP Layer (Pallet) 40 Pcs. Box Length 295 mm Box Width 275 mm Box Width 275 mm Box Height 430 mm Length 260 mm Width 260 mm Net Weight 0.55 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Gross Weight 0.61 kg Gross Weight (Pallet) 1.06 kg Gross Weight (PP) 1.00 contact materials (PPAP) 1.06 kg Gross Weight (PPAP) 1.06 kg Gross Weight (PPAP) 1.06 kg Gross Weight (PP) 1.06 kg Recommended sterilisation temperature (Autoclave) 121 "C Max usage temperature (Dishwasher) 93 "C Max usage temperature (non food contact) 100 "C Min. usage temperature (Induced to 100 contact) 100 "C Min. usage temperature (Induced to 100 contact) 100 "C Min. usage temperature (Induced to 100 contact) 100 "C Min. usage temperature (Induced to 100 contact) 100 "C Min. usage temperature (Induced to 100 contact) 100 "C Min. usage temperature (Induced to 100 contact) 100 "C Min. usage temperature (Induced to 100 contact) 100 "C Min. usage temperature (Induced to 100 contact) 100 "C Min. usage temperature (Induced to 100 contact) 100 "C Min. usage temperature (Induced to 100 contact) 100 "C Min. usage temperature (Induced to 100 contact) 100 "C Min. usage temperature (Induced to 100 contact) 100 "C Min. usage temperature (Induced to 100 contact) 100 "C Min. usage temperature (Induced to 100 contact) 100 "C Min. usage temperature (Induced to 100 contact) 100 "C Min. usage temperature (Induced to 100 contact) 100 "C Min. usage temperature (Induced	Item Number	568877
Recycling Symbol "5", Polypropylene (PP) Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Complies with FDA Regulation (EC) No. 1907/2006 Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002364190-1-8, GB 90023641900001-8 Box Quantity 5 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 160 Pcs Quantity Per Layer (Pallet) 80 X Length 295 mm Box Width 275 mm Box Height 430 mm Length 260 mm Width 260 mm Not Weight 260 mm Not Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Gross Weight 0.61 kg Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Mox. cleaning temperature (food contact) Min. usage temperature Min. usage temperature Min. pH-value in usage concentration 2 pH Min. pH-value in usage concentration	Content	6 Litre
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Complies with UK 2019 No. 704 on food contact materials Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002364190-1-8, GB 9002364190001-8 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Guantity Per Layer (Pallet) Box Length 295 mm Box Width 275 mm Box Width 260 mm Net Weight 105 kg Weight cardboard (Recycling symbol "20" PAP) Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (Dishwasher) Max usage temperature (Ioshwasher) Min. usage temperature (Iosh	Material	
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Lalal and Kosher FAS, Phthalates and BPA intentionally added No Design Registration No. BU 002364190-1-8, GB 90023641900001-8 Box Quantity For Layer (Pallet) Box Length Box Width 275 mm Box Height Length Lengt	Recycling Symbol "5", Polypropylene (PP)	Yes
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Reach Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002364190-1-8, GB 9002364190001-8 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Guantity Per Layer (Pallet) Box Length Box Width 275 mm Box Height 430 mm Length 430 mm Height 260 mm Net Weight 250 mm Net Weight 0.55 kg Weight cardboard (Recycling symbol "20" PAP) 10.06 kg Gross Weight Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature Min. pH-value in usage concentration 2 pH	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002364190-01-8, GB 90023641900001-8 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 160 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length 295 mm Box Width 275 mm Box Height 430 mm Length 260 mm Width 4260 mm Net Weight Augustity Weight cardboard (Recycling symbol "20" PAP) Tare total Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (Inon food contact) Min. usage temperature Min. pH-value in usage concentration 2 pH	· · · · · · · · · · · · · · · · · · ·	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 002364190-1-8, GB 90023641900001-8 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 160 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length 295 mm Box Width 275 mm Box Height 430 mm Length 260 mm Width 260 mm Net Weight 250 mm Net Weight 0.55 kg Weight cardboard (Recycling symbol "20" PAP) Tare total Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature Min. pH-value in usage concentration 2 pH Min. pH-value in usage concentration	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 002364190-1-8, GB 90023641900001-8 Box Quantity For. Quantity per Pallet (80 x 120 x 180-200 cm) Guantity Per Layer (Pallet) Box Length Box Width 275 mm Box Height 430 mm Length 260 mm Width 260 mm Net Weight 250 mm Net Weight Cubic metre 0.016 kg Gross Weight Cubic metre 0.016 ym Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Tood contact) Max usage temperature (non food contact) Min. usage temperature Min. usage temperature Min. usage temperature Min. usage temperature Min. pH-value in usage concentration 2 pH Model Age Average Yes Yes Yes Yes Yes Yes Yes Y	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. BU 00236419001-8, GB 90023641900001-8 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 160 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length 295 mm Box Width 275 mm Box Height 430 mm Length 260 mm Width 260 mm Net Weight 250 mm	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Design Registration No. EU 002364190-1-8, GB 90023641900001-8 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 160 Pcs Box Length 295 mm Box Width 275 mm Box Height 430 mm Length 260 mm Width 260 mm Net Weight 250 mm Net Weight 250 mm Net Weight 260 mm Net Weight 250 mm Net Weight 260 mm Net Weight	Complies with California Proposition 65	Yes
Design Registration No. EU 002364190-1-8, GB 90023641900001-8 Box Quantity 5 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 160 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length 295 mm Box Width 275 mm Box Height 430 mm Length 260 mm Width 260 mm Height 250 mm Net Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Tare total 0.06 kg Gross Weight 0.61 kg Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH	Complies with Halal and Kosher	Yes
Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 160 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length 295 mm Box Width 275 mm Box Height 430 mm Length 260 mm Width 260 mm Width 250 mm Net Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Gross Weight (Recycling symbol "20" PAP) 0.06 kg Gross Weight (Recycling symbol "20" PAP) 1.06 kg Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Max. drying temperature (120 °C Min. pH-value in usage concentration 2 pH	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) 40 Pcs. Box Length 295 mm Box Width 275 mm Length 260 mm Width 260 mm Net Weight Weight cardboard (Recycling symbol "20" PAP) Tare total Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature Min. usage temperature Min. usage temperature Min. usage temperature Min. pH-value in usage concentration	Design Registration No.	· · · · · · · · · · · · · · · · · · ·
Quantity Per Layer (Pallet)40 Pcs.Box Length295 mmBox Width275 mmBox Height430 mmLength260 mmWidth260 mmHeight250 mmNet Weight0.55 kgWeight cardboard (Recycling symbol "20" PAP)0.06 kgTare total0.06 kgGross Weight0.61 kgCubic metre0.0169 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Box Quantity	5 Pcs.
Box Length Box Width 275 mm Box Height 430 mm Length 260 mm Width 260 mm Width 250 mm Net Weight 0.55 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Tare total 0.06 kg Gross Weight 0.51 kg Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. usage temperature	Quantity per Pallet (80 x 120 x 180-200 cm)	160 Pcs
Box Width 275 mm Box Height 430 mm Length 260 mm Width 260 mm Height 250 mm Net Weight 0.55 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Tare total 0.06 kg Gross Weight 0.61 kg Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH	Quantity Per Layer (Pallet)	40 Pcs.
Box Height 430 mm Length 260 mm Width 260 mm Height 250 mm Net Weight 0.55 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Tare total 0.06 kg Gross Weight 0.61 kg Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (100 °C Min. pH-value in usage concentration 2 pH	Box Length	295 mm
Length260 mmWidth260 mmHeight250 mmNet Weight0.55 kgWeight cardboard (Recycling symbol "20" PAP)0.06 kgTare total0.06 kgGross Weight0.61 kgCubic metre0.0169 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Box Width	275 mm
Width 260 mm Height 250 mm Net Weight 0.55 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Tare total 0.06 kg Gross Weight 0.61 kg Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Max. drying temperature (120 °C Min. pH-value in usage concentration 2 pH	Box Height	430 mm
Height250 mmNet Weight0.55 kgWeight cardboard (Recycling symbol "20" PAP)0.06 kgTare total0.06 kgGross Weight0.61 kgCubic metre0.0169 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Length	260 mm
Net Weight 0.55 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Tare total 0.06 kg Gross Weight 0.61 kg Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (100 contact) 100 °C Max. drying temperature (100 contact) 100 °C Min. usage temperature (100 contact) 100 °C	Width	260 mm
Weight cardboard (Recycling symbol "20" PAP) Tare total O.06 kg Gross Weight Cubic metre O.0169 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 120 °C Min. pH-value in usage concentration	Height	250 mm
Tare total 0.06 kg Gross Weight 0.61 kg Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH	Net Weight	0.55 kg
Gross Weight Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH	Weight cardboard (Recycling symbol "20" PAP)	0.06 kg
Cubic metre0.0169 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Tare total	0.06 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration	Gross Weight	0.61 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Cubic metre	0.0169 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH	Max usage temperature (food contact)	100 °C
Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH	Min. usage temperature ³	-20 °C
	Max. drying temperature	120 °C
Max. pH-value in Usage Concentration 10.5 pH	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH

Country of origin	Denmark
Customs Tariff No.	39239000
GTIN-14 Number (Box quantity)	15705028014481
GTIN-13 Number	5705022014473

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.