Hand shovel, 275 mm, Yellow





Lightweight and durable, this Hand Shovel features a one-piece construction that eliminates areas where bacteria can gather. Its smooth surface allows for easy cleaning, which makes it ideal for moving food ingredients or large quantities of food waste.

Technical Data

Material Polypropylen Recycling Symbol "5", Polypropylene (PP) Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with REAIGNER Regulation (EC) No. 1907/2006 Complies with REAIGNER Regulation (EC) No. 1907/2006 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Box Length/Depth Box Height Box Height Product Length/Depth Product Length/Depth Product Width Product Width Product Width Product Height Net Weight cardboard (Recycling symbol "20" PAP) Cotal Tare Weight Cubic metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature Max. drying temperature Max. drying temperature 120 °	Item Number	56736
Recycling Symbol "5", Polypropylene (PP) Yecomplies with (EC) 1935/2004 on food contact materials¹ Yecomplies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yecomplies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yecomplies with California Proposition 65 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Box Length/Depth Box Width Box Height Product Length/Depth Product Length/Depth Product Width Product Width Product Height Net Weight Net Weight Net Weight Cobic metre O.016638 M Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (IDishwasher) Max usage temperature Max. drying temperature Max. drying temperature Max. drying temperature Max. drying temperature 120° Max. drying temperature	Shovel Blade Size, L x W x H	327 x 271 x 50 mm
Complies with (EC) 1935/2004 on food contact materials¹ Ye Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Ye Complies with UK 2019 No. 704 on food contact materials Ye Complies with REACH Regulation (EC) No. 1907/2006 Ye Complies with California Proposition 65 Ye Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity 12 Pc: Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Box Length/Depth Box Width 335 mi Box Height Product Length/Depth Forduct Width Product Length/Depth Sox Wight Sox Height Net Weight Net Weight Net Weight Cubic metre O.016638 M Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Min. usage temperature Max. drying temperature Max. drying temperature Max. drying temperature Max. drying temperature 120° Max. drying temperature Max. drying temperature Max. drying temperature 120° Max. drying temperature	Material	Polypropylene
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 211 Complies with UK 2019 No. 704 on food contact materials Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Rox Quantity 12 Pcc Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Rox Length/Depth Rox Width Rox Height Rox Height Roy Heigh		Yes
Manufacturing Practice Complies with FDA RegulationI CFR 211 Ye Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Ye Complies with REACH Regulation (EC) No. 1907/2006 Ye Complies with California Proposition 65 Ye Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 12 Pcc Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Rox Length/Depth Rox Width Rox Width Rox Width Rox Height Product Length/Depth Product Length/Depth Product Width Product Width Product Height Neight cardboard (Recycling symbol "20" PAP) Cotal Tare Weight Cubic metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity 12 Pc: Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Box Length/Depth Box Width Box Height Product Length/Depth Product Width Product Width Product Width Net Weight Weight cardboard (Recycling symbol "20" PAP) Couling metre Couling metre Couling metre Couling metre Couling metre Couling temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature Max. drying temperature 120° Max. drying temperature	Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity 12 Pc: Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) 80 x Length/Depth 80 x Width 80 x Width 80 x Width 80 x Height 80 x Heigh	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity Quantity Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Box Length/Depth Box Width Box Height Product Length/Depth Product Length/Depth Product Width Product Width Net Weight Neight cardboard (Recycling symbol "20" PAP) Cubic metre Quantity Per Layer (Pallet) Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Ioishwasher) Max usage temperature (non food contact) Min. usage temperature Min. usage temperature Max. drying temperature Max. drying temperature Max. drying temperature 120° Max. drying temperature Max. drying temperature 120° Max. drying temperature	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Box Length/Depth Box Width Box Height Box Height Product Length/Depth Froduct Length/Depth Product Width Product Width Product Width Product Wight Neight cardboard (Recycling symbol "20" PAP) Cubic metre Cubic metre Recommended sterillisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Min. usage temperature Max. drying temperature Max. drying temperature 120 ° Max. drying temperature	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Box Quantity Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Box Length/Depth Box Width Box Height Product Length/Depth Product Length/Depth Product Width Product Width Product Width Product Height Net Weight Net Weight Product Height Notal Tare Weight Cubic metre 0.016638 M Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Min. usage temperature Max. drying temperature 120 ° Max. drying temperature	Complies with California Proposition 65	Yes
Box Quantity Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Box Length/Depth Box Width Box Height Box He	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Box Length/Depth Box Width Box Height Product Length/Depth Product Width Product Width Product Height Net Weight Net Weight Neight cardboard (Recycling symbol "20" PAP) Cubic metre Cubic metre O.016638 M Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature Max. drying temperature Max. drying temperature Max. drying temperature 120° Max. drying temperature Max. drying temperature 120° Max. drying temperature	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet) Box Length/Depth Box Width Box Width Box Height Product Length/Depth Product Length/Depth Product Width Product Height Net Weight Neight cardboard (Recycling symbol "20" PAP) Total Tare Weight Cubic metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature Max. drying temperature 120° Max. drying temperature Max. drying temperature 120° Max. drying temperature 120° Max. drying temperature 120° Max. drying temperature	Box Quantity	12 Pcs.
Box Length/Depth 600 mi Box Width 335 mi Box Height 320 mi Product Length/Depth 550 mi Product Width 275 mi Product Height 110 mi Net Weight 0.51 k Weight cardboard (Recycling symbol "20" PAP) 0.038 k Fotal Tare Weight 0.038 k Gross Weight 0.55 k Cubic metre 0.016638 M Recommended sterilisation temperature (Autoclave) 121° Max. cleaning temperature (Dishwasher) 93° Max usage temperature (food contact) 100° Max usage temperature (non food contact) 100° Min. usage temperature 3 -20° Max. drying temperature 120° Max. drying temperature 120°	Quantity per Pallet (80 x 120 x approx.180 cm)	240 Pcs
Box Width 335 mm Box Height 320 mm Product Length/Depth 550 mm Product Width 275 mm Product Height 110 mm Net Weight 0.51 k Weight cardboard (Recycling symbol "20" PAP) 0.038 k Gross Weight 0.038 k Gross Weight 0.55 k Cubic metre 0.016638 M Recommended sterilisation temperature (Autoclave) 121° Max. cleaning temperature (Dishwasher) 93° Max usage temperature (food contact) 100° Max usage temperature (non food contact) 100° Min. usage temperature (120° Max. drying temperature 120° Max. drying temperature	Quantity Per Layer (Pallet)	48 Pcs.
Product Length/Depth Product Width Product Height Product Height Net Weight Neight cardboard (Recycling symbol "20" PAP) Total Tare Weight Cubic metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 120° Max. drying temperature 150 min. 100	Box Length/Depth	600 mm
Product Length/Depth 550 mi Product Width 275 mi Product Height 110 mi Net Weight 0.51 k Weight cardboard (Recycling symbol "20" PAP) 0.038 k Total Tare Weight 0.038 k Gross Weight 0.55 k Cubic metre 0.016638 M Recommended sterilisation temperature (Autoclave) 121 ° Max. cleaning temperature (Dishwasher) 93 ° Max usage temperature (food contact) 100 ° Min. usage temperature³ -20 ° Max. drying temperature 120 ° Max. drying temperature 120 °	Box Width	335 mm
Product Width 275 mi Product Height 110 mi Net Weight 0.51 k Weight cardboard (Recycling symbol "20" PAP) 0.038 k Fotal Tare Weight 0.038 k Gross Weight 0.55 k Cubic metre 0.016638 M Recommended sterilisation temperature (Autoclave) 121° Max. cleaning temperature (Dishwasher) 93° Max usage temperature (food contact) 100° Min. usage temperature³ -20° Max. drying temperature	Box Height	320 mm
Product Height 110 mi Net Weight 0.51 k Weight cardboard (Recycling symbol "20" PAP) 0.038 k Total Tare Weight 0.038 k Gross Weight 0.55 k Cubic metre 0.016638 M Recommended sterilisation temperature (Autoclave) 121° Max. cleaning temperature (Dishwasher) 93° Max usage temperature (food contact) 100° Max usage temperature (non food contact) 100° Min. usage temperature 3 -20° Max. drying temperature 120°	Product Length/Depth	550 mm
Net Weight 0.51 k Weight cardboard (Recycling symbol "20" PAP) 0.038 k Total Tare Weight 0.038 k Gross Weight 0.55 k Cubic metre 0.016638 M Recommended sterilisation temperature (Autoclave) 121 ° Max. cleaning temperature (Dishwasher) 93 ° Max usage temperature (food contact) 100 ° Max usage temperature (non food contact) 100 ° Min. usage temperature 3 -20 ° Max. drying temperature 120 °	Product Width	275 mm
Weight cardboard (Recycling symbol "20" PAP) Total Tare Weight Gross Weight Cubic metre Cubic metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 120 ° Max. drying temperature	Product Height	110 mm
Total Tare Weight Gross Weight Cubic metre Cubic metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature	Net Weight	0.51 kg
Gross Weight Cubic metre Cubic metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature	Weight cardboard (Recycling symbol "20" PAP)	0.038 kg
Cubic metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20° Max. drying temperature	Total Tare Weight	0.038 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20° Max. drying temperature	Gross Weight	0.55 kg
Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature	Cubic metre	0.016638 M3
Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature -20° Max. drying temperature	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature -20° Max. drying temperature 120°	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20° Max. drying temperature 120°	Max usage temperature (food contact)	100 °C
Max. drying temperature 120 °	Max usage temperature (non food contact)	100 °C
, .	Min. usage temperature ³	-20 °C
Min. pH-value in usage concentration 2 n	Max. drying temperature	120 °C
p	Min. pH-value in usage concentration	2 pH
Wax. pH-value in Usage Concentration 10.5 p	Max. pH-value in Usage Concentration	10.5 pH
3TIN-13 Number 570502056736	GTIN-13 Number	5705020567360
GTIN-14 Number (Box quantity) 1570502056736	GTIN-14 Number (Box quantity)	15705020567367

Customs Tariff Number	39241000
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.