Glazing Brush w/long Handle, 415 mm, Soft, Blue







This Glazing Brush is excellent for applying water and glazes to breads and pastries.

Technical Data

Item Number	41813
Bristle stiffness	Soft
Visible bristle length	60 mm
Material	Polypropylene Polyester (PBT) Stainless Steel (AISI 304)
Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Design Registration No.	EU 002025700-0001-3, GB 20257000001-3
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	630 Pcs
Quantity Per Layer (Pallet)	70 Pcs.
Box Length	435 mm
Box Width	210 mm
Box Height	175 mm
Length	415 mm
Width	70 mm
Height	80 mm
Net Weight	0.22 kg
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.0085 kg
Weight cardboard (Recycling symbol "20" PAP)	0.076 kg
Tare total	0.0845 kg
Gross Weight	0.3 kg
Cubic metre	0.002324 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max usage temperature (food contact)	80 °C
Max usage temperature (non food contact)	100 °C
Min. usage temperature ³	-20 °C
Max. drying temperature	100 °C

Min. pH-value in usage concentration	2.5 pH
Max. pH-value in Usage Concentration	10 pH
GTIN-13 Number	5705020418136
GTIN-14 Number (Box quantity)	15705020418133
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.