## Wall-/Floor Washing Brush, 305 mm, Hard, Grey







This Washing Brush is ideal for cleaning tiled floors in food preparation areas. Can be used with any Vikan handle.

## **Technical Data**

Bristle stiffness         Hard           Visible bristle length         44 mm           Material         Polypropylene Polyester (PBT) Stainless Steel (AISI 304)           Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice         Yes           Complies with EU Regulation 1CFR 21¹         Yes           Complies with FDA Regulation (EC) No. 1907/2006         Yes           Complies with KEACH Regulation (EC) No. 1907/2006         Yes           Complies with Halal and Kosher         Yes           Complies with Halal and Kosher         Yes           PFAS, Phthalates and BPA intentionally added         No           Box Quantity         16 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         512 Pcs           Guantity Per Layer (Pallet)         64 Pcs.           Box Length         610 mm           Box Width         290 mm           Box Height         200 mm           Box Height         110 mm           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LOPE)         0.007 kg           Weight cardboard (Recycling symbol "20" PAP)         0.037 kg           Tare total         0.0457 kg           Gross Weight         0.64 kg           Cubic metre         0.002852 M3           Recommended sterilisatio	Item Number	706088
Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304)  Complies with (EC) 1935/2004 on food contact materials¹ Yes  Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice  Complies with FDA Regulation I CFR 21¹ Yes  Complies with UK 2019 No. 704 on food contact materials Yes  Complies with REACH Regulation (EC) No. 1907/2006 Yes  Complies with REACH Regulation (EC) No. 1907/2006 Yes  Complies with California Proposition 65 Yes  Complies with Halal and Kosher Yes  Box Quantity Galifornia Proposition 65 Yes  Complies with Halal and Kosher Yes  Max Usage temperature (Dishwasher) Polyethylene (Dishwasher) Halal And Kosher Yes  Max usage temperature (non food contact) Halal And Kosher Yes  Max drying temperature (non food contact) Halal And Kosher Yes  Max drying temperature (non food contact) Halal And Kosher Yes  Max drying temperature (100 contact) Halal And Kosher Yes  Max drying temperature (100 contact) Halal And Kosher Yes  Max drying temperature (100 contact) Halal And Kosher Yes  Max drying temperature (100 contact) Halal And Kosher Yes  Max drying temperature (100 contact) Halal And Kosher Yes  Max drying temperature (100 contact)	Bristle stiffness	Hard
Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 16 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Sox Length Sox Length Sox Height 200 mm Box Width 290 mm Box Width 290 mm Box Height 110 mm Net Weight 10.037 kg Gross Weight 10.0457 kg Gross Weight 10.0457 kg Gross Weight temperature (Dishwasher) 100 °C Max usage temperature (no food contact) 100 °C Min. usage temperature  Max. drying temperature 100 °C Max. drying temperature 10	Visible bristle length	44 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice       Yes         Complies with FDA Regulation CFR 21¹       Yes         Complies with UK 2019 No. 704 on food contact materials       Yes         Complies with REACH Regulation (EC) No. 1907/2006       Yes         Complies with California Proposition 65       Yes         Complies with Halal and Kosher       Yes         FFAS, Phthalates and BPA intentionally added       No         Box Quantity       16 Pcs.         Quantity per Pallet (80 x 120 x 180-200 cm)       512 Pcs         Quantity Per Layer (Pallet)       64 Pcs.         Box Length       610 mm         Box Width       290 mm         Box Height       200 mm         Length       305 mm         Width       85 mm         Height       110 mm         Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))       0.0087 kg         Weight cardboard (Recycling symbol "20" PAP)       0.037 kg         Tare total       0.0457 kg         Gross Weight       0.64 kg         Cubic metre       0.002852 M3         Recommended sterilisation temperature (Autoclave)       121 °C         Max. cleaning temperature (Dishwasher)       93 °C         Max usage temperature (non	Material	(PBT) Stainless Steel
Manufacturing Practice         Complies with FDA RegulationI CFR 21¹         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Complies with REACH Regulation (EC) No. 1907/2006         Yes           Complies with California Proposition 65         Yes           Complies with Halal and Kosher         Yes           PFAS, Phthalates and BPA intentionally added         No           Box Quantity         16 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         512 Pcs           Quantity Per Layer (Pallet)         64 Pcs.           Box Length         610 mm           Box Width         290 mm           Box Height         200 mm           Length         305 mm           Width         85 mm           Height         110 mm           Net Weight         0.59 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))         0.037 kg           Weight cardboard (Recycling symbol "20" PAP)         0.037 kg           Tare total         0.0457 kg           Gross Weight         0.64 kg           Cubic metre         0.002852 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity16 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)512 PcsQuantity Per Layer (Pallet)64 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength305 mmWidth85 mmHeight110 mmNet Weight0.59 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.037 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTare total0.0457 kgGross Weight0.64 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMax. drying temperature100 °CMax. drying temperature100 °C	· · · · · · · · · · · · · · · · · · ·	Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity16 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)512 PcsQuantity Per Layer (Pallet)64 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength305 mmWidth85 mmHeight110 mmNet Weight0.59 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.037 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTare total0.0457 kgGross Weight0.64 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMax. drying temperature100 °C	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with California Proposition 65         Yes           Complies with Halal and Kosher         Yes           PFAS, Phthalates and BPA intentionally added         No           Box Quantity         16 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         512 Pcs           Quantity Per Layer (Pallet)         64 Pcs.           Box Length         610 mm           Box Width         290 mm           Box Height         200 mm           Length         305 mm           Width         85 mm           Height         110 mm           Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))         0.087 kg           Weight cardboard (Recycling symbol "20" PAP)         0.037 kg           Tare total         0.0457 kg           Gross Weight         0.64 kg           Cubic metre         0.002852 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         -20 °C           Max. drying temperature         100 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher         Yes           PFAS, Phthalates and BPA intentionally added         No           Box Quantity         16 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         512 Pcs           Quantity Per Layer (Pallet)         64 Pcs.           Box Length         610 mm           Box Width         290 mm           Box Height         200 mm           Length         305 mm           Width         85 mm           Height         110 mm           Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))         0.087 kg           Weight cardboard (Recycling symbol "20" PAP)         0.037 kg           Tare total         0.0457 kg           Gross Weight         0.64 kg           Cubic metre         0.002852 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (non food contact)         80 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Max. drying temperature         100 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoBox Quantity16 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)512 PcsQuantity Per Layer (Pallet)64 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength305 mmWidth85 mmHeight110 mmNet Weight0.59 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTare total0.0457 kgGross Weight0.64 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °C	Complies with California Proposition 65	Yes
Box Quantity         16 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         512 Pcs           Quantity Per Layer (Pallet)         64 Pcs.           Box Length         610 mm           Box Width         290 mm           Box Height         200 mm           Length         305 mm           Width         85 mm           Height         110 mm           Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))         0.0087 kg           Weight cardboard (Recycling symbol "20" PAP)         0.037 kg           Tare total         0.0457 kg           Gross Weight         0.64 kg           Cubic metre         0.002852 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature <sup>3</sup> -20 °C           Max. drying temperature         100 °C	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)512 PcsQuantity Per Layer (Pallet)64 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength305 mmWidth85 mmHeight110 mmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTare total0.0457 kgGross Weight0.64 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature100 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)64 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength305 mmWidth85 mmHeight110 mmNet Weight0.59 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTare total0.0457 kgGross Weight0.64 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature100 °C	Box Quantity	16 Pcs.
Box Length610 mmBox Width290 mmBox Height200 mmLength305 mmWidth85 mmHeight110 mmNet Weight0.59 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTare total0.0457 kgGross Weight0.64 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	512 Pcs
Box Width290 mmBox Height200 mmLength305 mmWidth85 mmHeight110 mmNet Weight0.59 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTare total0.0457 kgGross Weight0.64 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Quantity Per Layer (Pallet)	64 Pcs.
Box Height200 mmLength305 mmWidth85 mmHeight110 mmNet Weight0.59 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTare total0.0457 kgGross Weight0.64 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Length	610 mm
Length305 mmWidth85 mmHeight110 mmNet Weight0.59 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTare total0.0457 kgGross Weight0.64 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Width	290 mm
Width85 mmHeight110 mmNet Weight0.59 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTare total0.0457 kgGross Weight0.64 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Height	200 mm
Height110 mmNet Weight0.59 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTare total0.0457 kgGross Weight0.64 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Length	305 mm
Net Weight0.59 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTare total0.0457 kgGross Weight0.64 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Width	85 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.037 kgTare total0.0457 kgGross Weight0.64 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Height	110 mm
Weight cardboard (Recycling symbol "20" PAP)  Tare total  Gross Weight  Cubic metre  0.002852 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  Max. drying temperature  100 °C  Max. drying temperature	Net Weight	0.59 kg
Tare total 0.0457 kg  Gross Weight 0.64 kg  Cubic metre 0.002852 M3  Recommended sterilisation temperature (Autoclave) 121 °C  Max. cleaning temperature (Dishwasher) 93 °C  Max usage temperature (food contact) 80 °C  Max usage temperature (non food contact) 100 °C  Min. usage temperature (100 °C)  Max. drying temperature (100 °C)		0.0087 kg
Gross Weight0.64 kgCubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature100 °C	Weight cardboard (Recycling symbol "20" PAP)	0.037 kg
Cubic metre0.002852 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Tare total	0.0457 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Gross Weight	0.64 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Cubic metre	0.002852 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature <sup>3</sup> -20 °C  Max. drying temperature 100 °C	Max usage temperature (food contact)	80 °C
Max. drying temperature 100 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature <sup>3</sup>	-20 °C
Min. pH-value in usage concentration 2 pH	Max. drying temperature	100 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705022014718
GTIN-14 Number (Box quantity)	15705028014740
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.