31663

Broom w/ Straight Neck, 310 mm, Medium, Blue







Ideal for cleaning between machines and under tables, this straight-necked Broom easily removes dust, paper and food particles such as fish and meat.

Technical Data

Bristle stiffnessMediumVisible bristle length78 mmMaterialPolypropytene Polyester (PET) Stahless Steel (AISI 304)Complies with (EC) 1935/2004 on food contact materials'YesComplies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA Regulation 1CFR 21'YesComplies with EACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)450 Pcs.Box Length000 Pcs.Box Length310 mmBox Kith Halal60 mmBox Kith Yer Layer (Pallet)0.0087 kgWith0.0087 kgWight bag (Recycling Symbol "4" Low Density Polyethylene (DPE)0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0307 kgGross Weight0.47 kgCubic metre Max usage temperature (Diskwasher)93 °CMax usage temperature (Diskwasher)0.026 °CMax usage temperature (Diskwasher)0.037 °CMax usage temperature (Dot contact)0.002 °CMax usage temperature (Diskwasher)0.027 °CMax usage temperature (Diskwasher)0.02 °CMax	Item Number	31663
Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Yes Complies with FDA Regulation 1 CFR 21' Yes Complies with CALIFORM of contact materials Yes Complies with CALIFORM of contact materials Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 15 Pcs. Quantity Per Layer (Pallet) 90 Pcs. Box Length 400 mm Box Vidth 310 mm Box Height 140 mm Netwight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) 0.0307 kg Weight cardboard (Recycling symbol "20" PAP) 0.0307 kg Cubic metre 0.002604 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (non food contact) 80 °C Max usage temperature (non food contact) 80 °C	Bristle stiffness	Medium
(PBT) Stainless Steel (AISI 304)Complies with (EC) 1935/2004 on food contact materials'YesComplies with EU Regulation 2023/2006/EC of GoodYesComplies with FDA Regulation 1 CFR 21'YesComplies with EDA Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity15 Pcs.Quantity Per Pallet (80 x 120 x 180-200 cm)400 mmBox Length400 mmBox Width310 mmBox Height310 mmLength310 mmWeight0.43 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0307 kgWeight cardboard (Recycling symbol "20" PAP)0.0307 kgCubic metre0.002604 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMax. drying temperature-20 °CMax. drying temperature-20 °CMax. drying temperature100 °CMax. drying temperature-20 °C </th <th>Visible bristle length</th> <th>78 mm</th>	Visible bristle length	78 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA RegulationI CFR 21'YesComplies with UX 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)450 PcsQuantity Per Layer (Pallet)90 Pcs.Box Length400 mmBox Height310 mmBox Height310 mmWidth60 mmHeight0.0087 kg(LDPE))0.0087 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.00307 kgGross Weight0.47 kgCubic metre0.002604 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature100 °CMax. drying temperature100 °C	Material	(PBT) Stainless Steel
Manufacturing Practice Complies with FDA RegulationI CFR 211 Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 450 Pcs Quantity Per Layer (Pallet) 90 Pcs. Box Length 400 mm Box Width 310 mm Box Height 310 mm Length 60 mm Height 0.037 kg (LDPE)) 0.037 kg Weight cardboard (Recycling Symbol "20" PAP) 0.037 kg Cobe cardboard (Recycling Symbol "20" PAP) 0.037 kg Cubic metre 0.002604 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 00 °C Max usage temperature (non food contact) 00 °C	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)450 Pcs.Quantity Per Layer (Pallet)90 Pcs.Box Length400 mmBox Width310 mmBox Height310 mmLength0.0087 kg(LDPE))0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0307 kgTare total0.0394 kgGross Weight0.47 kgCubic metre0.002604 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature100 °CMax. drying temperature100 °C	• •	Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)450 PcsQuantity Per Layer (Pallet)90 Pcs.Box Length400 mmBox Height310 mmLength310 mmWidth60 mmHeight140 mmWeight0.43 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0087 kgWeight0.43 kgWeight0.47 kgCubic metre0.002604 M3Recommended sterillsation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature100 °C	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)450 Pcs.Quantity Per Layer (Pallet)90 Pcs.Box Length400 mmBox Width310 mmBox Height310 mmLength00 mmWidth60 mmHeight140 mmNet Weight0.43 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0307 kgTare total0.0394 kgGross Weight0.47 kgCubic metre0.002604 Ml3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature100 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)450 Pcs.Quantity Per Layer (Pallet)90 Pcs.Box Length400 mmBox Width310 mmBox Height310 mmLength310 mmWidth60 mmHeight140 mmNet Weight0.43 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0087 kgGross Weight0.47 kgCubic metre0.002604 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature100 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)450 PcsQuantity Per Layer (Pallet)90 Pcs.Box Length400 mmBox Width310 mmBox Height310 mmLength310 mmWidth60 mmHeight140 mmNet Weight0.43 kgWeight cardboard (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0307 kgTare total0.0394 kgGross Weight0.47 kgCubic metre0.002604 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMax. drying temperature100 °CMax. drying temperature100 °C	Complies with California Proposition 65	Yes
Box Quantity15 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)450 PcsQuantity Per Layer (Pallet)90 Pcs.Box Length400 mmBox Width310 mmBox Height310 mmLength310 mmWidth60 mmHeight140 mmNet Weight0.43 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0307 kgTare total0.0394 kgGross Weight0.47 kgCubic metre0.002604 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature100 °CMax. drying temperature100 °C	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)450 PcsQuantity Per Layer (Pallet)90 Pcs.Box Length400 mmBox Width310 mmBox Height310 mmLength310 mmWidth60 mmHeight140 mmNet Weight0.43 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0307 kgTare total0.0394 kgGross Weight0.47 kgCubic metre0.002604 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)90 Pcs.Box Length400 mmBox Width310 mmBox Height310 mmLength310 mmVidth60 mmHeight140 mmNet Weight0.43 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0307 kgTare total0.0394 kgGross Weight0.47 kgCubic metre0.002604 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Box Quantity	15 Pcs.
Box Length400 mmBox Width310 mmBox Height310 mmLength310 mmLength310 mmWidth60 mmHeight140 mmNet Weight0.43 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0307 kgTare total0.0394 kgGross Weight0.47 kgCubic metre0.002604 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	450 Pcs
Box Width310 mmBox Height310 mmLength310 mmVidth60 mmHeight140 mmNet Weight0.43 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0307 kgTare total0.0394 kgGross Weight0.47 kgCubic metre0.002604 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperatures-20 °CMax. drying temperature100 °C	Quantity Per Layer (Pallet)	90 Pcs.
Box Height310 mmLength310 mmWidth60 mmHeight140 mmNet Weight0.43 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0307 kgTare total0.0394 kgGross Weight0.47 kgCubic metre0.002604 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Box Length	400 mm
Length310 mmWidth60 mmHeight140 mmNet Weight0.43 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0307 kgTare total0.0394 kgGross Weight0.47 kgCubic metre0.002604 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Box Width	310 mm
Width60 mmHeight140 mmNet Weight0.43 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0307 kgTare total0.0394 kgGross Weight0.47 kgCubic metre0.002604 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Box Height	310 mm
Height140 mmNet Weight0.43 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0307 kgTare total0.0394 kgGross Weight0.47 kgCubic metre0.002604 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Length	310 mm
Net Weight0.43 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0307 kgTare total0.0394 kgGross Weight0.47 kgCubic metre0.002604 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Width	60 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene0.0087 kg(LDPE))0.0307 kgWeight cardboard (Recycling symbol "20" PAP)0.0307 kgTare total0.0394 kgGross Weight0.47 kgCubic metre0.002604 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Height	140 mm
(LDPE))Weight cardboard (Recycling symbol "20" PAP)0.0307 kgTare total0.0394 kgGross Weight0.47 kgCubic metre0.002604 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature	Net Weight	0.43 kg
Tare total0.0394 kgGross Weight0.47 kgCubic metre0.002604 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C		0.0087 kg
Gross Weight0.47 kgCubic metre0.002604 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Weight cardboard (Recycling symbol "20" PAP)	0.0307 kg
Cubic metre0.002604 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Tare total	0.0394 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Gross Weight	0.47 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Cubic metre	0.002604 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °CMax. drying temperature100 °C	Max usage temperature (food contact)	3° 08
Max. drying temperature100 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature ³	-20 °C
Min. pH-value in usage concentration2 pH	Max. drying temperature	100 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705020316630
GTIN-14 Number (Box quantity)	15705020316637
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 0° Celsius.