

29597

Aluminum Handle, Ø25 mm,  
1460 mm, Orange



This handle with colour-coded grip can be used with any product in the Vikan range.

# Technical Data

|   |                                     |
|---|-------------------------------------|
| Item Number   | 29597                               |
| Material  | Anodised Aluminium<br>Polypropylene |
| Recycling Symbol "7", Miscellaneous Plastics                            | No                                  |
| Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>     | Yes                                 |
| Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice | Yes                                 |
| Complies with FDA Regulation CFR 21 <sup>1</sup>                        | Yes                                 |
| Complies with UK 2019 No. 704 on food contact materials                 | Yes                                 |
| Complies with REACH Regulation (EC) No. 1907/2006                       | Yes                                 |
| Complies with California Proposition 65                                 | Yes                                 |
| Complies with Halal and Kosher  | Yes                                 |
| PFAS, Phthalates and BPA intentionally added                            | No                                  |
| Box Quantity  | 10 Pcs.                             |
| Quantity per Pallet (80 x 120 x 180-200 cm)                             | 500 Pcs                             |
| Quantity Per Layer (Pallet)   | 50 Pcs.                             |
| Box Length  | 1480 mm                             |
| Box Width   | 160 mm                              |
| Box Height  | 60 mm                               |
| Product Diameter  | 25 mm                               |
| Length  | 1460 mm                             |
| Width   | 25 mm                               |
| Height  | 25 mm                               |
| Net Weight  | 0.33 kg                             |
| Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))       | 0.0056 kg                           |
| Tare total  | 0.0056 kg                           |
| Gross Weight  | 0.34 kg                             |
| Cubic metre   | 0.000913 M3                         |
| Recommended sterilisation temperature (Autoclave)                       | 121 °C                              |
| Max usage temperature (food contact)                                    | 100 °C                              |
| Max usage temperature (non food contact)                                | 100 °C                              |
| Min. usage temperature <sup>3</sup>                                     | -20 °C                              |
| Max. drying temperature   | 100 °C                              |
| Min. pH-value in usage concentration                                    | 2 pH                                |
| Max. pH-value in Usage Concentration                                    | 8 pH                                |
| Gtin-13 Number  | 5705020295973                       |
| GTIN-14 Number (Box quantity)   | 15705020295970                      |

**Customs Tariff No.**

76169990

**Country of origin**

Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.