## Dish Brush, 290 mm, Medium, Green





This Utility Brush with is ideal for detail cleaning of machinery and equipment.

## **Technical Data**

| Bristle stiffness         Medium           Visible bristle length         24 mm           Material         Polypropylene Polyester (PBT) Stainless Steel (AISI 304)           Complies with (EC) 1935/2004 on food contact materials¹         Yes           Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice         Yes           Complies with FDA Regulation ICFR 21¹         Yes           Complies with EACH Regulation (EC) No. 1907/2006         Yes           Complies with California Proposition 65         Yes           Complies with Halal and Kosher         Yes           PFAS, Phthalates and BPA intentionally added         No           Box Quantity         20 Pcs.           Quantity Per Pallet (80 x 120 x 180-200 cm)         1400 Pcs           Quantity Per Layer (Pallet)         200 Pcs.           Box Length         30 mm           Box Width         235 mm           Box Height         160 mm           Length         25 mm           Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%         0.0037 kg           Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%         0.0037 kg           Weight cardboard (Recycling symbol "20" PAP)         0.01 kg           Tare total         0.0137 kg           Goss Weight         0.05 kg | Item Number   | 42872                 |
|---|---|-----------------------|
| Material    Polypropylene Polyester (PBT) Stainless Steel (AISI 304)  | Bristle stiffness   | Medium                |
| Complies with (EC) 1935/2004 on food contact materials¹         Yes           Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice         Yes           Complies with FDA Regulation CFR 21¹         Yes           Complies with FDA Regulation (EC) No. 1907/2006         Yes           Complies with REACH Regulation (EC) No. 1907/2006         Yes           Complies with California Proposition 65         Yes           Complies with Halal and Kosher         Yes           PFAS, Phthalates and BPA intentionally added         No           Box Quantity         20 Pcs.           Quantity Per Pallet (80 x 120 x 180-200 cm)         1400 Pcs           Quantity Per Layer (Pallet)         200 Pcs.           Box Length         330 mm           Box Width         235 mm           Box Height         160 mm           Length         290 mm           Width         25 mm           Height         65 mm           Net Weight         0.04 kg           Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%         0.0037 kg           Weight cardboard (Recycling symbol "20" PAP)         0.01 kg           Tare total         0.0137 kg           Gross Weight         0.05 kg           Cubic metre         0.000471 M3                                       | Visible bristle length  | 24 mm                 |
| Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice       Yes Manufacturing Practice         Complies with FDA Regulation CFR 21¹       Yes         Complies with UK 2019 No. 704 on food contact materials       Yes         Complies with REACH Regulation (EC) No. 1907/2006       Yes         Complies with California Proposition 65       Yes         Complies with Halal and Kosher       Yes         PFAS, Phthalates and BPA intentionally added       No         Box Quantity       20 Pcs.         Quantity per Pallet (80 x 120 x 180-200 cm)       1400 Pcs         Quantity Per Layer (Pallet)       200 Pcs.         Box Length       330 mm         Box Width       235 mm         Box Height       160 mm         Length       290 mm         Width       25 mm         Height       65 mm         Net Weight       0.04 kg         Weight cardboard (Recycling Symbol "4") LDPE ≥ PCR 30%       0.0037 kg         Weight cardboard (Recycling symbol "20" PAP)       0.01 kg         Tare total       0.0137 kg         Gross Weight       0.05 kg         Cubic metre       0.00471 M3         Recommended sterilisation temperature (Autoclave)       121 °C         Max usage temperature (Dishwasher)   | Material  | (PBT) Stainless Steel |
| Manufacturing Practice         Complies with FDA RegulationI CFR 21¹       Yes         Complies with UK 2019 No. 704 on food contact materials       Yes         Complies with REACH Regulation (EC) No. 1907/2006       Yes         Complies with California Proposition 65       Yes         Complies with Halal and Kosher       Yes         PFAS, Phthalates and BPA intentionally added       No         Box Quantity       20 Pcs.         Quantity per Pallet (80 x 120 x 180-200 cm)       1400 Pcs         Quantity Per Layer (Pallet)       200 Pcs.         Box Length       330 mm         Box Width       235 mm         Box Height       160 mm         Length       290 mm         Width       25 mm         Height       65 mm         Net Weight       0.04 kg         Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%       0.037 kg         Weight cardboard (Recycling symbol "20" PAP)       0.01 kg         Tare total       0.0137 kg         Gross Weight       0.05 kg         Cubic metre       0.000471 M3         Recommended sterilisation temperature (Autoclave)       121 °C         Max. cleaning temperature (Dishwasher)       93 °C         Max usage temperature (non food co   | Complies with (EC) 1935/2004 on food contact materials <sup>1</sup> | Yes                   |
| Complies with UK 2019 No. 704 on food contact materials       Yes         Complies with REACH Regulation (EC) No. 1907/2006       Yes         Complies with California Proposition 65       Yes         Complies with Halal and Kosher       Yes         PFAS, Phthalates and BPA intentionally added       No         Box Quantity       20 Pcs.         Quantity per Pallet (80 x 120 x 180-200 cm)       1400 Pcs         Quantity Per Layer (Pallet)       200 Pcs.         Box Length       330 mm         Box Width       235 mm         Box Height       160 mm         Length       290 mm         Width       25 mm         Height       65 mm         Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%       0.0037 kg         Weight cardboard (Recycling symbol "4") LDPE ≥ PCR 30%       0.01 kg         Tare total       0.0137 kg         Gross Weight       0.05 kg         Cubic metre       0.000471 M3         Recommended sterilisation temperature (Autoclave)       121 °C         Max. cleaning temperature (Dishwasher)       93 °C         Max usage temperature (food contact)       80 °C         Max usage temperature (non food contact)       100 °C         Min. usage temperature       100 °C <td>· · · · · · · · · · · · · · · · · · ·</td> <td>Yes</td>      | · · · · · · · · · · · · · · · · · · ·                               | Yes                   |
| Complies with REACH Regulation (EC) No. 1907/2006       Yes         Complies with California Proposition 65       Yes         Complies with Halal and Kosher       Yes         PFAS, Phthalates and BPA intentionally added       No         Box Quantity       20 Pcs.         Quantity per Pallet (80 x 120 x 180-200 cm)       1400 Pcs         Quantity Per Layer (Pallet)       200 Pcs.         Box Length       330 mm         Box Width       235 mm         Box Height       160 mm         Length       290 mm         Width       25 mm         Height       65 mm         Net Weight       0.04 kg         Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%       0.037 kg         Weight cardboard (Recycling symbol "20" PAP)       0.01 kg         Tare total       0.0137 kg         Gross Weight       0.05 kg         Cubic metre       0.000471 M3         Recommended sterilisation temperature (Autoclave)       121 °C         Max. cleaning temperature (Dishwasher)       93 °C         Max usage temperature (non food contact)       80 °C         Min. usage temperature (non food contact)       100 °C         Min. usage temperature       100 °C         Min. pH-value in usage concent  | Complies with FDA RegulationI CFR 21 <sup>1</sup>                   | Yes                   |
| Complies with California Proposition 65         Yes           Complies with Halal and Kosher         Yes           PFAS, Phthalates and BPA intentionally added         No           Box Quantity         20 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         1400 Pcs           Quantity Per Layer (Pallet)         200 Pcs.           Box Length         330 mm           Box Width         235 mm           Box Height         160 mm           Length         290 mm           Width         25 mm           Height         65 mm           Net Weight         0.04 kg           Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%         0.037 kg           Weight cardboard (Recycling symbol "20" PAP)         0.01 kg           Tare total         0.0137 kg           Gross Weight         0.05 kg           Cubic metre         0.000471 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Min. usage temperature (non food contact)   | Complies with UK 2019 No. 704 on food contact materials             | Yes                   |
| Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity20 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)1400 PcsQuantity Per Layer (Pallet)200 Pcs.Box Length330 mmBox Width235 mmBox Height160 mmLength290 mmWidth25 mmHeight65 mmNet Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTare total0.0137 kgGross Weight0.05 kgCubic metre0.000471 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMin. usage temperature (non food contact)100 °CMin. usage temperature*-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH  | Complies with REACH Regulation (EC) No. 1907/2006                   | Yes                   |
| PFAS, Phthalates and BPA intentionally added       No         Box Quantity       20 Pcs.         Quantity per Pallet (80 x 120 x 180-200 cm)       1400 Pcs         Quantity Per Layer (Pallet)       200 Pcs.         Box Length       330 mm         Box Width       235 mm         Box Height       160 mm         Length       290 mm         Width       25 mm         Height       65 mm         Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%       0.0037 kg         Weight cardboard (Recycling symbol "20" PAP)       0.01 kg         Tare total       0.0137 kg         Gross Weight       0.05 kg         Cubic metre       0.00471 M3         Recommended sterilisation temperature (Autoclave)       121 °C         Max. cleaning temperature (Dishwasher)       93 °C         Max usage temperature (food contact)       80 °C         Min. usage temperature (non food contact)       100 °C         Min. usage temperature       100 °C         Min. pH-value in usage concentration       2 pH   | Complies with California Proposition 65                             | Yes                   |
| Box Quantity         20 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         1400 Pcs           Quantity Per Layer (Pallet)         200 Pcs.           Box Length         330 mm           Box Width         235 mm           Box Height         160 mm           Length         290 mm           Width         25 mm           Height         65 mm           Net Weight         0.04 kg           Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%         0.0037 kg           Weight cardboard (Recycling symbol "20" PAP)         0.01 kg           Tare total         0.0137 kg           Gross Weight         0.05 kg           Cubic metre         0.000471 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Min. pH-value in usage concentration         2 pH   | Complies with Halal and Kosher                                      | Yes                   |
| Quantity Per Layer (Pallet)       200 Pcs.         Box Length       330 mm         Box Width       235 mm         Box Height       160 mm         Length       290 mm         Width       25 mm         Height       65 mm         Net Weight       0.04 kg         Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%       0.0037 kg         Weight cardboard (Recycling symbol "20" PAP)       0.01 kg         Tare total       0.0137 kg         Gross Weight       0.05 kg         Cubic metre       0.00471 M3         Recommended sterilisation temperature (Autoclave)       121 °C         Max. cleaning temperature (Dishwasher)       93 °C         Max usage temperature (food contact)       80 °C         Max usage temperature (non food contact)       100 °C         Min. usage temperature       -20 °C         Max. drying temperature       100 °C         Min. pH-value in usage concentration       2 pH  | PFAS, Phthalates and BPA intentionally added                        | No                    |
| Quantity Per Layer (Pallet)         200 Pcs.           Box Length         330 mm           Box Width         235 mm           Box Height         160 mm           Length         290 mm           Width         25 mm           Height         65 mm           Net Weight         0.04 kg           Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%         0.0037 kg           Weight cardboard (Recycling symbol "20" PAP)         0.01 kg           Tare total         0.0137 kg           Gross Weight         0.05 kg           Cubic metre         0.000471 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         -20 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentration         2 pH   | Box Quantity  | 20 Pcs.               |
| Box Length         330 mm           Box Width         235 mm           Box Height         160 mm           Length         290 mm           Width         25 mm           Height         65 mm           Net Weight         0.04 kg           Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%         0.0037 kg           Weight cardboard (Recycling symbol "20" PAP)         0.01 kg           Tare total         0.0137 kg           Gross Weight         0.05 kg           Cubic metre         0.000471 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         -20 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentration         2 pH  | Quantity per Pallet (80 x 120 x 180-200 cm)                         | 1400 Pcs              |
| Box Width         235 mm           Box Height         160 mm           Length         290 mm           Width         25 mm           Height         65 mm           Net Weight         0.04 kg           Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%         0.0037 kg           Weight cardboard (Recycling symbol "20" PAP)         0.01 kg           Tare total         0.0137 kg           Gross Weight         0.05 kg           Cubic metre         0.000471 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature³         -20 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentration         2 pH   | Quantity Per Layer (Pallet)   | 200 Pcs.              |
| Box Height160 mmLength290 mmWidth25 mmHeight65 mmNet Weight0.04 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTare total0.0137 kgGross Weight0.05 kgCubic metre0.00471 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pH  | Box Length  | 330 mm                |
| Length290 mmWidth25 mmHeight65 mmNet Weight0.04 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTare total0.0137 kgGross Weight0.05 kgCubic metre0.000471 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH   | Box Width   | 235 mm                |
| Width25 mmHeight65 mmNet Weight0.04 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTare total0.0137 kgGross Weight0.05 kgCubic metre0.000471 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH  | Box Height  | 160 mm                |
| Height65 mmNet Weight0.04 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTare total0.0137 kgGross Weight0.05 kgCubic metre0.000471 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH  | Length  | 290 mm                |
| Net Weight0.04 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTare total0.0137 kgGross Weight0.05 kgCubic metre0.000471 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH   | Width   | 25 mm                 |
| Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTare total0.0137 kgGross Weight0.05 kgCubic metre0.000471 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH  | Height  | 65 mm                 |
| Weight cardboard (Recycling symbol "20" PAP)0.01 kgTare total0.0137 kgGross Weight0.05 kgCubic metre0.000471 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH   | Net Weight  | 0.04 kg               |
| Tare total0.0137 kgGross Weight0.05 kgCubic metre0.000471 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH  | Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%                    | 0.0037 kg             |
| Gross Weight  Cubic metre  0.000471 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  93 °C  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature³  -20 °C  Max. drying temperature  100 °C  Min. pH-value in usage concentration  2 pH  | Weight cardboard (Recycling symbol "20" PAP)                        | 0.01 kg               |
| Cubic metre0.000471 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH   | Tare total  | 0.0137 kg             |
| Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  93 °C  Max usage temperature (food contact)  80 °C  Max usage temperature (non food contact)  100 °C  Min. usage temperature  100 °C  Max. drying temperature  100 °C  Min. pH-value in usage concentration  | Gross Weight  | 0.05 kg               |
| Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH  | Cubic metre   | 0.000471 M3           |
| Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH   | Recommended sterilisation temperature (Autoclave)                   | 121 °C                |
| Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH  | Max. cleaning temperature (Dishwasher)                              | 93 °C                 |
| Min. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH  | Max usage temperature (food contact)                                | 80 °C                 |
| Max. drying temperature 100 °C  Min. pH-value in usage concentration 2 pH   | Max usage temperature (non food contact)                            | 100 °C                |
| Min. pH-value in usage concentration 2 pH   | Min. usage temperature <sup>3</sup>                                 | -20 °C                |
|   | Max. drying temperature   | 100 °C                |
| Max. pH-value in Usage Concentration 10.5 pH  | Min. pH-value in usage concentration                                | 2 pH                  |
|   | Max. pH-value in Usage Concentration                                | 10.5 pH               |

| Country of origin             | Denmark        |
|-------------------------------|----------------|
| Customs Tariff No.            | 96039099       |
| GTIN-14 Number (Box quantity) | 15705020428729 |
| GTIN-13 Number                | 5705020428722  |

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.