40112

Stainless Steel Scraper with Threaded Handle, 100 mm, Green







Great for removing hard-to-reach sticky deposits and dried or burnt-on foods or ingredients, this Scraper features a stainless flex steel blade with protective rounded corners, a high-strength attachment, and a threaded handle that fits any Vikan colour-coded extension handle. While not intended for floor cleaning proper, this product can be used to remove lighter soils on floors.

Technical Data

	40112 1 mm Threaded olypropylene Stainless eel (AISI 301)
Connection Po	Threaded
Iaterial Po	lypropylene Stainless
Ste	
Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with EU Regulation 2023/2006/EC of Good Ianufacturing Practice	Yes
Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	3150 Pcs
Quantity Per Layer (Pallet)	150 Pcs.
Box Length	255 mm
Box Width	225 mm
Box Height	85 mm
Product Length/Depth	205 mm
Product Width	100 mm
Product Height	32 mm
let Weight	0.09 kg
Veight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.00402 kg
Veight cardboard (Recycling symbol "20" PAP)	0.006 kg
are total	0.01002 kg
Bross Weight	0.1 kg
Cubic metre	0.000656 M3
Recommended sterilisation temperature (Autoclave)	121 °C
lax. cleaning temperature (Dishwasher)	93 °C
lax usage temperature (food contact)	200 °C
lax usage temperature (non food contact)	200 °C
/lin. usage temperature ³	-20 °C
fax. drying temperature	120 °C
lin. pH-value in usage concentration	2 pH
lax. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020401121

GTIN-14 Number (Box quantity)	15705020401128
Customs Tariff No.	82159910
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.