## Aluminum Handle, 1510 mm, , Yellow





Ergonomically designed with a comfortable grip and rounded top and hanger, this handle fits any Vikan product that requires a handle. Do not use with acid or chlorine.

## **Technical Data**

Item Number	29376
Material	Anodised Aluminium Polypropylene
Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Design Registration No.	DE 401033756.8
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	960 Pcs
Quantity Per Layer (Pallet)	40 Pcs.
Box Length	75 mm
Box Width	190 mm
Box Height	1545 mm
Product Diameter	31 mm
Length	1510 mm
Width	31 mm
Height	31 mm
Net Weight	0.53 kg
Weight cardboard (Recycling symbol "20" PAP)	0.0408 kg
Tare total	0.0408 kg
Gross Weight	0.57 kg
Cubic metre	0.001451 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max usage temperature (food contact)	100 °C
Max usage temperature (non food contact)	100 °C
Min. usage temperature <sup>3</sup>	-20 °C
Max. drying temperature	100 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	8 pH
Gtin-13 Number	5705020293764

GTIN-14 Number (Box quantity)	15/05020293/61
Customs Tariff No.	76169990
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.