Round Hand Scrub, 110 mm, Hard, Red







Effectively scrub and clean conveyor belts, food containers and more with this sturdy Round Hand Scrub, featuring an ergonomic design that lets you apply more pressure to the brush during use.

Technical Data

Bristle stiffness Hard Visible bristle length 44 mm Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation ICFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002533729-1-5. GB 9002533729-1-5. GB 9002533729-01-5. GB 9002533729-1-5. GB 90025	Item Number	38854
Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Outle Microsity 15 Pes. Quantity 15 Pes. Quantity 15 Pes. Quantity 15 Pes. Box Quantity 120 Pes. Box Width 290 mm Box Width	Bristle stiffness	Hard
(PBT) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002533729-1-5, GB 90025337290001-5 Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1200 Pcs. Box Length 375 mm Box Width 290 mm Box Width 290 mm Box Height 175 mm Product Diameter 110 mm Length 110 mm Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0089 kg Tare total 0.0152 kg Gross Weight 0.26 kg Cubic metre 0.001331 M3 Recommended	Visible bristle length	44 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002533729-1-5, GB 9002533729001-5 Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1200 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 375 mm Box Width 290 mm Box Height 175 mm Product Diameter 110 mm Length 110 mm Weight 0.24 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0089 kg Tare total 0.0152 kg Gross Weight 0.26 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temp	Material	(PBT) Stainless Steel
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002533729-1-5, GB 90025337290001-5 Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1200 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 375 mm Box Width 290 mm Box Height 175 mm Product Diameter 110 mm Length 110 mm Weight 110 mm Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.063 kg Weight cardboard (Recycling symbol "20" PAP) 0.089 kg Tare total 0.0152 kg Gross Weight 0.26 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperatur	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002533729-1-5, GB 90025337290001-5 Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1200 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 375 mm Box Width 290 mm Box Height 175 mm Product Diameter 110 mm Length 110 mm Weight 0.24 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg Weight cardboard (Recycling symbol "4") LDPE ≥ PCR 30% 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0089 kg Tare total 0.0152 kg Gross Weight 0.26 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperatur		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002533729-1-5, GB 90025337290001-5Box Quantity15 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)1200 PcsQuantity Per Layer (Pallet)120 Pcs.Box Length375 mmBox Width290 mmBox Height175 mmProduct Diameter110 mmLength110 mmWidth110 mmNet Weight0.24 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0089 kgTare total0.0152 kgGross Weight0.26 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002533729-1-5, GB 90025337290001-5 Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1200 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 375 mm Box Width 290 mm Box Height 175 mm Product Diameter 110 mm Length 110 mm Width 110 mm Height 110 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.063 kg Weight cardboard (Recycling symbol "20" PAP) 0.089 kg Tare total 0.0152 kg Gross Weight 0.26 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Max usage temperature (non food contact) 100 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002533729-1-5, GB 90025337290001-5Box Quantity15 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)1200 PcsQuantity Per Layer (Pallet)120 Pcs.Box Length375 mmBox Width290 mmBox Height175 mmProduct Diameter110 mmLength110 mmWidth110 mmHeight110 mmNet Weight0.24 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0089 kgTare total0.0152 kgGross Weight0.26 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Design Registration No. EU 002533729-1-5, GB 90025337290001-5 Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1200 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 375 mm Box Width 290 mm Box Height 175 mm Product Diameter 110 mm Length 110 mm Width 110 mm Width 110 mm Weight 110 mm Net Weight 0.24 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) 0.0089 kg Tare total 0.0152 kg Gross Weight 0.26 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Max usage temperature (non food contact) 100 °C	Complies with California Proposition 65	Yes
Design Registration No. EU 002533729-1-5, GB 90025337290001-5 Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1200 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 375 mm Box Width 290 mm Box Height 175 mm Product Diameter 110 mm Length 110 mm Width 110 mm Net Weight 0.24 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0089 kg Tare total 0.0152 kg Gross Weight 0.26 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Max usage temperature (non food contact) 100 °C	Complies with Halal and Kosher	Yes
Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1200 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 375 mm Box Width 290 mm Box Height 175 mm Product Diameter 110 mm Length 110 mm Weight 110 mm Net Weight 0.24 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0089 kg Tare total 0.0152 kg Gross Weight 0.26 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Max usage temperature (non food contact) 100 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm)1200 PcsQuantity Per Layer (Pallet)120 Pcs.Box Length375 mmBox Width290 mmBox Height175 mmProduct Diameter110 mmLength110 mmWidth110 mmHeight110 mmNet Weight0.24 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0089 kgTare total0.0152 kgGross Weight0.26 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Design Registration No.	the state of the s
Quantity Per Layer (Pallet) 120 Pcs. Box Length 375 mm Box Width 290 mm Box Height 175 mm Product Diameter 110 mm Length 110 mm Width 110 mm Height 110 mm Net Weight Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0089 kg Tare total 0.0152 kg Gross Weight 0.26 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C	Box Quantity	15 Pcs.
Box Length375 mmBox Width290 mmBox Height175 mmProduct Diameter110 mmLength110 mmWidth110 mmHeight110 mmNet Weight0.24 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0089 kgTare total0.0152 kgGross Weight0.26 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	1200 Pcs
Box Width 290 mm Box Height 175 mm Product Diameter 110 mm Length 110 mm Width 110 mm Height 110 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0089 kg Tare total 0.0152 kg Gross Weight 0.26 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C	Quantity Per Layer (Pallet)	120 Pcs.
Box Height175 mmProduct Diameter110 mmLength110 mmWidth110 mmHeight110 mmNet Weight0.24 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0089 kgTare total0.0152 kgGross Weight0.26 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Box Length	375 mm
Product Diameter110 mmLength110 mmWidth110 mmHeight110 mmNet Weight0.24 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0089 kgTare total0.0152 kgGross Weight0.26 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Box Width	290 mm
Length110 mmWidth110 mmHeight110 mmNet Weight0.24 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0089 kgTare total0.0152 kgGross Weight0.26 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Box Height	175 mm
Width110 mmHeight110 mmNet Weight0.24 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0089 kgTare total0.0152 kgGross Weight0.26 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Product Diameter	110 mm
Height110 mmNet Weight0.24 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0089 kgTare total0.0152 kgGross Weight0.26 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Length	110 mm
Net Weight0.24 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0089 kgTare total0.0152 kgGross Weight0.26 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Width	110 mm
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0089 kgTare total0.0152 kgGross Weight0.26 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Height	110 mm
Weight cardboard (Recycling symbol "20" PAP)0.0089 kgTare total0.0152 kgGross Weight0.26 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Net Weight	0.24 kg
Tare total 0.0152 kg Gross Weight 0.26 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C	Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.0063 kg
Gross Weight Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact)	Weight cardboard (Recycling symbol "20" PAP)	0.0089 kg
Cubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Tare total	0.0152 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Gross Weight	0.26 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Cubic metre	0.001331 M3
Max usage temperature (food contact) Max usage temperature (non food contact) 100 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) 100 °C	Max. cleaning temperature (Dishwasher)	93 °C
	Max usage temperature (food contact)	80 °C
Min. usage temperature ³ -20 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature³	-20 °C

100 °C
2 pH
10.5 pH
5705020388545
15705020388542
96039099
Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.