Dustpan, 295 mm, Grey







Collect food debris and dust from floors and work surfaces with this ergonomically designed Dustpan. Ideal for food industry use, it features thick wall for strength, durability and ease of cleaning. Use with Hand Brushes 4587 and 4589.

Technical Data

Material Polypropylene Recycling Symbol "5", Polypropylene (PP) Yes Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation 1CFR 21' Yes Complies with HEACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 001367593-0001, GB9001367593-0001, GB9001367593-0001 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 300 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 305 mm Box Width 305 mm Box Width 305 mm Box Width 305 mm Box Weight 33 kg Weight cardboard (Recycling symbol "20" PAP) 0.04 kg Gross Weight 0.3 kg Weight cardboard (Recycling symbol "20" PAP) 0.04 kg Tare total 0.04 kg Goss Weigh	Item Number	566088
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 001367593-0001, GB90013675930001 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 300 Pcs Quantity Per Layer (Pallet) 80 Pcs. Box Length 305 mm Box Width 305 mm Box Width 305 mm Height 300 mm Net Weight 400 mm Net Weight	Material	Polypropylene
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation (CFR 211 Yes Complies with UK 2019 No. 704 on food contact materials Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 001367593-0001, GB90013675930001 Box Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 300 Pcs Quantity Per Layer (Pallet) 80x Length 305 mm Box Width 305 mm Box Width 305 mm Width 295 mm Width 295 mm Weight 100 mm Net Weight 0.3 kg Weight cardboard (Recycling symbol "20" PAP) 0.04 kg Gross Weight 0.34 kg Cubic metre 0.009735 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (Ino food contact) 100 °C Max. usage temperature 100 °C Min. usage temperature 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 10.5 pH Max. pH-value in usage Concentration 10.5 pH	Recycling Symbol "5", Polypropylene (PP)	Yes
Manufacturing Practice Complies with FDA Regulation (FR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Pes Complies with California Proposition 65 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 001367593-0001 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 300 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 305 mm Box Width 305 mm Box Height 370 mm Length 330 mm Width 295 mm Height 100 mm Net Weight 0.3 kg Weight cardboard (Recycling symbol "20" PAP) 0.04 kg Gross Weight 0.34 kg Cubic metre 0.009735 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 308 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. usage temperature 100 °C Min. pH-value in usage Concentration 10.5 pH Max. pH-value in Usage Concentration 10.5 pH	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 001367593-0001, GB90013675930001 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 300 Pcs Quantity Per Layer (Pallet) Box Length 305 mm Box Width 305 mm Box Height 100 mm Net Weight 100 mm Net Weigh	· · · · · · · · · · · · · · · · · · ·	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 001367593-0001, GB90013675930001 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 300 Pcs Quantity Per Layer (Pallet) Box Length Box Width 305 mm Box Width 305 mm Box Height 100 mm Net Weight 100 mm Net Weight Arare total Gross Weight Cubic metre 0.009735 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (Ion food contact) Min. usage temperature Min. pH-value in usage concentration 10.5 pH Max. pH-value in usage Concentration 10.5 pH Max. pH-value in usage Concentration 10.5 pH	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 001367593-0001, GB90013675930001 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 300 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 305 mm Box Width 305 mm Box Height 307 mm Length 308 mm Width 295 mm Height 100 mm Net Weight 295 mm Net Weight cardboard (Recycling symbol "20" PAP) 304 kg Gross Weight Cubic metre 0.009735 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature (non food contact) Min. usage temperature Min. usage temperature Min. usage temperature Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 001367593-0001, GB90013875930001 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 300 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 305 mm Box Width 305 mm Box Height 370 mm Length 330 mm Width 295 mm Height 100 mm Net Weight 0.3 kg Weight cardboard (Recycling symbol "20" PAP) 0.04 kg Tare total 0.04 kg Gross Weight 0.34 kg Cubic metre 0.009735 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (food contact) 100 °C Max usage temperature (food contact) 100 °C Min. usage temperature ³ -20 °C Max. drying temperature 2 pH Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 001367593-0001, GB90013675930001 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 300 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 305 mm Box Width 305 mm Box Height 370 mm Length 330 mm Width 295 mm Height 100 mm Net Weight 0.3 kg Weight cardboard (Recycling symbol "20" PAP) 0.04 kg Tare total 0.04 kg Gross Weight 0.34 kg Cubic metre 0.009735 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Max. drying temperature 2 pH Max. pH-value in Usage Concentration 10.5 pH	Complies with California Proposition 65	Yes
Design Registration No.EU 001367593-0001, GB90013675930001Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)300 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length305 mmBox Width305 mmBox Height370 mmLength330 mmWidth295 mmHeight100 mmNet Weight0.3 kgWeight cardboard (Recycling symbol "20" PAP)0.04 kgTare total0.04 kgGross Weight0.34 kgCubic metre0.009735 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Complies with Halal and Kosher	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 300 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 305 mm Box Width 305 mm Box Height 370 mm Length 330 mm Width 295 mm Height 100 mm Net Weight 0.3 kg Weight cardboard (Recycling symbol "20" PAP) 0.04 kg Tare total 0.04 kg Gross Weight 0.09735 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm) 300 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 305 mm Box Width 305 mm Box Height 370 mm Length 330 mm Width 295 mm Height 100 mm Net Weight 0.3 kg Weight cardboard (Recycling symbol "20" PAP) 0.04 kg Tare total 0.04 kg Gross Weight 0.34 kg Cubic metre 0.009735 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Design Registration No.	,
Quantity Per Layer (Pallet) 60 Pcs. Box Length 305 mm Box Width 305 mm Box Height 370 mm Length 330 mm Width 295 mm Height 100 mm Net Weight 0.3 kg Weight cardboard (Recycling symbol "20" PAP) 0.04 kg Tare total 0.04 kg Gross Weight 0.34 kg Cubic metre 0.009735 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Box Quantity	10 Pcs.
Box Length 305 mm Box Width 305 mm Box Height 370 mm Length 330 mm Width 295 mm Height 100 mm Net Weight 0.3 kg Weight cardboard (Recycling symbol "20" PAP) 0.04 kg Tare total 0.04 kg Gross Weight 0.34 kg Cubic metre 0.009735 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Quantity per Pallet (80 x 120 x 180-200 cm)	300 Pcs
Box Width 305 mm Box Height 370 mm Length 330 mm Width 295 mm Height 100 mm Net Weight 0.3 kg Weight cardboard (Recycling symbol "20" PAP) 0.04 kg Tare total 0.04 kg Gross Weight 0.34 kg Cubic metre 0.009735 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Quantity Per Layer (Pallet)	60 Pcs.
Box Height 370 mm Length 330 mm Width 295 mm Height 100 mm Net Weight 0.3 kg Weight cardboard (Recycling symbol "20" PAP) 0.04 kg Tare total 0.04 kg Gross Weight 0.34 kg Cubic metre 0.009735 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Box Length	305 mm
Length330 mmWidth295 mmHeight100 mmNet Weight0.3 kgWeight cardboard (Recycling symbol "20" PAP)0.04 kgTare total0.04 kgGross Weight0.34 kgCubic metre0.009735 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Box Width	305 mm
Width 295 mm Height 100 mm Net Weight 0.3 kg Weight cardboard (Recycling symbol "20" PAP) 0.04 kg Tare total 0.04 kg Gross Weight 0.34 kg Cubic metre 0.009735 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (Tool contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Box Height	370 mm
Height100 mmNet Weight0.3 kgWeight cardboard (Recycling symbol "20" PAP)0.04 kgTare total0.04 kgGross Weight0.34 kgCubic metre0.009735 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Length	330 mm
Net Weight0.3 kgWeight cardboard (Recycling symbol "20" PAP)0.04 kgTare total0.04 kgGross Weight0.34 kgCubic metre0.009735 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Width	295 mm
Weight cardboard (Recycling symbol "20" PAP) Tare total O.04 kg Gross Weight Cubic metre O.009735 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration	Height	100 mm
Tare total0.04 kgGross Weight0.34 kgCubic metre0.009735 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Net Weight	0.3 kg
Gross Weight 0.34 kg Cubic metre 0.009735 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Weight cardboard (Recycling symbol "20" PAP)	0.04 kg
Cubic metre0.009735 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Tare total	0.04 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Gross Weight	0.34 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Cubic metre	0.009735 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Max usage temperature (food contact)	100 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration 10.5 pH	Max. drying temperature	120 °C
	Min. pH-value in usage concentration	2 pH
GTIN-13 Number 5705022014237	Max. pH-value in Usage Concentration	10.5 pH
	GTIN-13 Number	5705022014237

GTIN-14 Number (Box quantity)	15705028014269
Customs Tariff No.	39241000
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.